

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|---------------------|
| L1 | 36444 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:29 |
| L2 | 219 | screen near3 print\$3 near method and 1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:29 |
| L3 | 1 | screen near3 print\$3 near method with resistance and 1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:29 |
| L4 | 21 | screen near3 print\$3 with resistance and 1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:29 |
| L7 | 228 | ink near2 jet with resistance and 1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:46 |
| L8 | 1 | ink near2 jet with resistance same 1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:46 |
| L9 | 1 | ink near2 jet with resistance and 342/1-4. ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:47 |

| | | | | | | |
|-----|--------|---|---|----|----|---------------------|
| L10 | 1 | ink near2 jet with resistance same 1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:47 |
| L11 | 0 | ink near2 jet with resistance and 1 and radar\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:47 |
| L12 | 0 | ink near2 jet with resistance near2 layer \$1 and radar\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:47 |
| L13 | 266 | ink near2 jet with resistance near2 layer \$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/19 18:48 |
| S1 | 1 | poppan.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 11:57 |
| S2 | 58180 | toppan.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 11:57 |
| S3 | 27867 | wave\$1 near3 absorb\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 11:58 |
| S4 | 271551 | wave\$1 near3 absorb\$3 and conduct\$3 near3 layer\$1\ and dielectr\$4 near3 layer\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 11:59 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S5 | 523 | wave\$1 near3 absorb\$3 and conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 11:59 |
| S6 | 158 | wave\$1 near3 absorb\$3 and conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 and pattern\$1 near3 layer\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 12:01 |
| S7 | 15 | wave\$1 near3 absorb\$3 and pattern\$1 near3 layer\$1 with loop\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 12:20 |
| S8 | 163 | wave\$1 near3 absorb\$3 and surface near3 resistivity | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 12:21 |
| S9 | 54 | wave\$1 near3 absorb\$3 and surface near3 resistivity with conduct \$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 12:23 |
| S10 | 19 | wave\$1 near3 absorb\$3 and dielectr\$4 near3 layer\$1 with ratio | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 12:32 |
| S11 | 56 | wave\$1 near3 absorb\$3 and reflect\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 and pattern\$1 near3 layer\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 12:46 |
| S12 | 2 | wave\$1 near3 absorb\$3 and reflect\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 and pattern\$1 near3 layer\$1 with loop\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 13:00 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S13 | 6 | wave\$1 near3 absorb\$3 and reflect\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 and pattern\$1 near3 layer\$1 with square\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 13:10 |
| S14 | 8 | ("4948922" "5214432" "5561428" "5576710").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 13:11 |
| S15 | 94 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and reflect\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 and conduct\$3 near3 layer\$1 and protect\$3 near3 layer\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 13:26 |
| S16 | 110 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and (line\$1 near2 width linewidth) and (center near2 line\$1 centerline\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:02 |
| S17 | 3456 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and (line\$1 near2 width linewidth band\$1 near2 width\$1 bandwidth\$1) and (center near2 line\$1 centerline\$1 frequenc\$1 wavelength\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:12 |
| S18 | 834 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:13 |
| S19 | 214 | S17 and S18 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:14 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S20 | 5 | wave\$1 near3 absorb\$3 and (conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1) with optical\$4 near3 transparent | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:29 |
| S21 | 2 | wave\$1 near3 absorb\$3 and (conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1) with conduct\$3 near3 oxide | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:36 |
| S22 | 2097 | (conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1) with conduct\$3 near3 oxide | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:37 |
| S23 | 6 | S18 and S22 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:37 |
| S24 | 0 | (conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1) with conduct\$3 near3 oxide near3 ATO | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:40 |
| S25 | 163 | conduct\$3 near3 oxide near3 ATO | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:40 |
| S26 | 1 | S18 and S25 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:40 |
| S27 | 2 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 and conduct\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 with carbon near3 powder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:42 |

| | | | | | | |
|-----|--------|--|---|----|----|---------------------|
| S28 | 106831 | (wave\$1 electro near magnetic electromagnetic) near3 a conduct\$3 near3 layer \$1 and dielectr\$4 near3 layer\$1 with carbon near3 powder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:43 |
| S29 | 5 | (wave\$1 electro near magnetic electromagnetic) near3 conduct\$3 near3 layer \$1 and dielectr\$4 with carbon near3 powder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:43 |
| S30 | 1 | (wave\$1 electro near magnetic electromagnetic) near3 conduct\$3 near3 layer \$1 and dielectr\$4 with carbon near3 powder same dielectric near3 foam | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:45 |
| S31 | 2 | (wave\$1 electro near magnetic electromagnetic) near3 conduct\$3 near3 layer \$1 and dielectric near3 foam | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:45 |
| S32 | 1022 | (wave\$1 electro near magnetic electromagnetic) and dielectric near3 foam | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:46 |
| S33 | 4 | (wave\$1 electro near magnetic electromagnetic) and dielectric near3 foam same carbon near3 powder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:46 |
| S34 | 0 | (wave\$1 electro near magnetic electromagnetic) near3 conduct\$3 near3 layer \$1 with foam same carbon near3 powder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:51 |
| S35 | 2 | (wave\$1 electro near magnetic electromagnetic) near3 conduct\$3 near3 layer \$1 with carbon near3 powder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:52 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S36 | 24 | (wave\$1 electro near magnetic electromagnetic) near3 conduct\$3 with carbon near3 powder | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/14 14:52 |
| S37 | 8 | (wave\$1 electro near magnetic electromagnetic) near3 conduct\$3 with higher with resistivi\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 03:54 |
| S38 | 39 | (wave\$1 electro near magnetic electromagnetic) near3 conduct\$3 with (great \$3 high\$3) with resistivi \$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 03:56 |
| S40 | 284 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and conduct \$3 near3 layer\$1 and dielectr\$4 near3 layer \$1 and laminat\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 06:30 |
| S41 | 54 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and conduct \$3 near3 layer\$1 same dielectr\$4 near3 layer \$1 same laminat\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 06:31 |
| S42 | 0 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and conduct \$3 near3 layer\$1 with volume near3 restivit\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 06:43 |
| S43 | 25 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and conduct \$3 near3 layer\$1 with volume near3 resistivit \$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 06:44 |
| S44 | 76 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and conduct \$3 with volume near3 resistivit\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 06:48 |

| | | | | | | |
|-----|---------|--|---|----|----|---------------------|
| S45 | 156 | wave\$1 near3 absorb\$3 and reflect\$3 near3 layer\$1 and dielectr\$4 near3 layer\$1 and conduct\$3 near3 layer | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 10:05 |
| S46 | 2763123 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and glass with resin, with powder nearw (carbon silver nickel) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 10:20 |
| S47 | 16 | (wave\$1 electro near magnetic electromagnetic) near3 absorb\$3 and glass with resin, with powder near3 (carbon silver nickel) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 10:20 |
| S48 | 13 | (US-20070247349-\$ or US-20070029675-\$ or US-20040264350-\$ or US-20050107870-\$ or US-20040021597-\$ or US-20080212304-\$ or US-20040189612-\$). did. or (US-5855988-\$ or US-5576710-\$ or US-4621012-\$ or US-5325094-\$ or US-7495181-\$ or US-4726980-\$).did. | US-PGPUB; USPAT | OR | ON | 2009/07/16 19:06 |
| S49 | 12 | S48 and resin | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/16 19:06 |
| S50 | 13 | (US-20070247349-\$ or US-20070029675-\$ or US-20040264350-\$ or US-20050107870-\$ or US-20040021597-\$ or US-20080212304-\$ or US-20040189612-\$). did. or (US-5855988-\$ or US-5576710-\$ or US-4621012-\$ or US-5325094-\$ or US-7495181-\$ or US-4726980-\$).did. | US-PGPUB; USPAT | OR | ON | 2009/07/17 03:47 |

| | | | | | | |
|-----|----|--------------------|---|----|----|---------------------|
| S51 | 10 | S50 and laminat\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/17 03:47 |
|-----|----|--------------------|---|----|----|---------------------|

7/ 19/ 2009 7:35:07 PM

C:\ Documents and Settings\ tbrainard\ My Documents\ EAST\ Workspaces\ 10598345.wsp